Riley, D. W.: see Marshall, D. I.
Rist, C. E.: see Watson, P. R.
Rodriguez, F.: Graphical presentation of copolymer composition, S13
Roy, S. C.: Anisotropy of swelling of jute, 541
——: Some observations on the shrinkage of jute, 533
Rudin, A.: see Schreiber, H. P.
Sabia, R., and Mullier, M. E.: On the discontinuity in the flow curve of polyethylene, S42
Sanada, Y., Honda, H., and Nishioka, A.: Temperature dependence of nuclear magnetic resonance absorption in coal, 94
Satas, D., and Carr, D. G.: Water vapor transmission through porous films, S64
Savage, W. F.: Apparatus for studying the effects of rapid thermal cycles and high strain rates on the elevated temperature behavior of materials, 303
Savins, J. G.: An intercomparison of methods for calculating normal stresses, S67
Schapiro, H.: see Dandliker, W. B.
Scherr, H. J.: Optical transducer for detecting resonant frequency and free-end amplitude of a vibrating reed (low driving force), S66
Schott, H.: Dependence of activation energy for viscous flow of polyhydrocarbons on bulk of substituents, S29
Schreiber, H. P., and Rudin, A.: Further remarks on time effects in capillary flow of polyethylene, S45
——, Storey, S. H., and Holden, H. W.: Rapid method for determining some solution viscosity parameters, S49
Schuler, N. W.: see Haas, H. C.
Schwarzl, F. R.: see van Beek, L. K. H.
Segal, M.: Reply to "Digital recording and automatic computation of film tensile stress–strain data," S27
Senti, F. R.: see Jeanes, A.
Sheehan, D., Bentz, A. P., and Petropoulos, J. C.: The relative thermal stability of polymer model compounds, 47
Sheldon, R. P.: A simple method for the determination of glass temperatures of amorphous polymers, S43
Shetter, J. A.: see Shoulberg, R. H.
Shoulberg, R. H., and Shetter, J. A.: The thermal conductivity of poly(methyl methacrylate), S32
Shun-ichi, O., Nakajima, Y., and Nitta, I.: Mechanism of discoloration of irradiated polyvinyl chloride, 629
Sibilia, J. P., and Wincklhofer, R. C.: Determination of isotacticity in polypropylene, S56
Sircar, A. K.: see Bhaumik, M. L.
Sivadjian, J., and Corral, F.: Hygrophotographic studies on the permeability to water and moisture of packaging materials, 561
Skinner, S. M.: see Kern, E. L.
Smith, J. E.: see Lacey, R. M.
Smith, R. K.: see Cooper, W.
Smith, W. R.: see Patterson, G. D., Jr.
Solomon, O. F., et Ciută, I. Z.: Détermination de la viscosité intrinsèque de solutions de polymères par une simple détermination de la viscosité, 683
——, et ——: Anomalie de la viscosité des solutions de polyisoprene *cis*-1,4 à faibles concentrations, S59
Spangler, R. D.: Basic design features of a nonimpacting, pneumatically driven, hydraulically damped high speed tester, 264
Spencer, H. G., and Hunt, O. L.: Electrochemistry of poly(methyl vinyl ether-maleic anhydride)-polyvinyl alcohol membranes, 656
Spurr, O. K., Jr., and Niegisch, W. D.: Stress crazing of some amorphous thermoplastics, 585
Starkweather, Jr., H. W.: see Clark, E. S.
Sterling, C.: see Kalb, A. J.
Storey, S. H.: see Schreiber, H. P.
Tablino, V.: see Mussa, C.
Tai, C. L.: see Radok, J. R. M.
Takahashi, Y.: Mechanism of the dielectric and mechanical β-dispersion in the thermosetting phenolic resins, S34
Tanner, G. A.: see Lewis, A. F.
Tanner, W. C.: Adhesives in ordnance applications, 204
Taylor, Lloyd D.: A convenient preparation of a hydroquinone redox polymer, S13
——: see Haas, H. C.
Tesoro, G. C.: (*erratum*), S40
Thach, R.: see Tobolsky, A. V.
Thelen, E.: Adherend surface preparation, 150
Timmerman, R., and Greyson, W.: The predominant reaction of some fluorinated polymers to ionizing radiation, 456
Thomas, D. K.: Crosslinking efficiency of dicumyl peroxide in natural rubber, 613
Tobin, M. C.: see Lewis, A. F.
Tobolsky, A. V., and Yu, H.: Inhibitor technique for chemical stress relaxation, S55
——, ——, and Thach, R.: Cleavage in urethane-type synthetic rubbers, S44
Tucker, R. W., and Hastings, C. C.: The electrical properties of some crosslinked isophthalic polyesters, 575
Turska, E., and Utracki, L.: Investigations of the phenomena of coacervation. Part II. Coacervation of polyethylene terphthalate, 393
Ullman, R.: see Hittmair, P.
——: see Liebling, G.
Utracki, L.: Investigations of the phenomena of coacervation. Part III. Phase equilibrium in the three-component system: Toluene–ethanol–polystyrene, 399
——: see Turska, E.
van Beek, L. K. H., and Schwarzl, F. R.: A polyvinyl chloride electret, S61
——, and van Pul, B. I. C. F.: Internal field emission in carbon black-loaded natural rubber vulcanizates, 651
van Pul, B. I. C. F.: see van Beek, L. K. H.
Vickers, H. H.: High speed measurements of dry adhesion as related to the friction and abrasion of elastomers, 316
Vitkuske, J. F.: see Lloyd, W. G.
Watson, P. R., Jeanes, A., and Rist, C. E.: Properties of films from bacterial polysaccharide B-1459, S12
Weinstein, M.: see Zilkha, A.
Weiss, J. J.: see McCubbins, W. L.
Whatley, J. W.: see Hopkins, T. E.
Whitney, J. B.: High-temperature ceramic adhesives, 226
Wincklhofer, R. C.: see Sibilia, J. P.
Wolstenholme, W. E.: Characterizing impact behavior of thermoplastics, 332
——: Characterizing impact behavior of thermoplastics (*erratum*), S48
Yu, H.: see Tobolsky, A. V.
Yurenka, S.: Peel testing of adhesive bonded metal, 136
Ziabicki, A., and Kedzierska, K.: Studies on the orientation phenomena by fiber formation from polymer melts. III. Effect of structure on orientation. Condensation polymers, 111
——, and ——: Studies on the orientation phenomena by fiber formation from paper melts. IV. Effect of molecular structure on orientation: polyethylene and polystyrene, 361
Zilkha, A., and Weinstein, M.: Anionic polymerization of epichlorhydrin, 643

SUBJECT INDEX, VOLUME VI

Abrasion, of elastomers, related to dry adhesion, high speed measurements, 316
Actin fibers, contraction and relaxation, S1
Activation energy, for viscous flow of polyhydrocarbons, S29
Adherend, surface preparation, 150
Adhesion, dry, high speed measurements of, 316
  properties of nylons, S35
  viscoelastic and hard materials, 548
Adhesives, characteristics and application, 155
  evaluation for all conditions, 161
  high-temperature, 184
  high-temperature ceramic, 226
  ordnance applications, 204
  potential for future, 198
  printed circuit applications, 166
  process control, 210, 217
  room-temperature curing, 193
  rubber bonding, 176
  structural applications, 121–231
  treatment of Teflon, 221
Anionic polymerization, of epichlorhydrin, 643
Anisotropy, swelling of jute, 541
Anomalie, de la viscosité des solutions de polyisoprene *cis*-1,4 à faibles concentrations, S59
Antiozonant, role of diffusion, S6
ASTM Committee D-20, progress report, 278
Bondability, treatment of Teflon, 221
Carbon black, effect on thermal antioxidants, 558
Catalytic aging reactions, effects on films, 32
Cellulose, crosslinking of, S35
Cellulose fabrics, crosslinking role in wet crease recovery of (*erratum*), S40
Ceramic, high-temperature adhesives, 226
Circuit applications, printed, adhesives, 166
Clays, Indian rubber grade China, x-ray diffraction studies of, S14
Cleavage, in urethane-type synthetic rubbers, S44
Coacervation, polyethylene terephthalate, 393
  toluene-ethanol-polystyrene, 399
Coal, temperature dependence of NMR absorption, 94
Colloidal dispersions, block copolymers, S15
Compression fatigue, tire cord, 373
Condensation polymers, orientation phenomena, 111
Copolymer, composition, graphical presentation, S13
Copolymers, block, colloidal dispersions, S15
Cracking, polyethylene environmental stress, 1
Cracking and fracturing, of spherulitic isotactic polypropylene, 617
Creep compliance, technique for measuring, S2
Crosslinking efficiency, of dicumyl peroxide in natural rubber, 613
  role in wet crease recovery of cellulose fabrics (*erratum*), S40
  vinylsilicone resins, 474
Crystal structure, of quenched polytetrafluoroethylene, S41
Crystal transformation, of poly[3,3-(bis-chloro-methyl)oxacyclobutane], S52
Cure, degree in unsaturated polyester-styrene copolymer, S19
Curing, adhesives at room temperature, 193
  rigidity changes, 422
Damping phenomena, tire cord, 373
Determination, of isotacticity in polypropylene, S56
Dicumyl peroxide, 613
Differential thermal analysis, of high polymers, 624
Diffusion, role of, in antiozonant action, S6
Digital recording, film tensile stress-strain data, S27
Diglycidyl ethers, molecular structure and resin performance, 425
Discoloration, of irradiated polyvinyl chloride, 629
Discontinuity, in the flow curve of polyethylene, S42
β-Dispersion, in thermosetting phenolic resins, S34
Dissimilar polymers, interaction in solution, S30
Dynamic mechanical spectra, high polymers, S3
Dynamic properties, natural rubber vulcanizates, 57
Dynamic rheology, of modified starches, 659
Effects of rapid thermal cycles, apparatus for set studying, 303
Electrical properties, of crosslinked isophthalic polyesters, 575
Electrochemistry, of poly(methyl vinyl ether-maleic anhydride)-polyvinyl alcohol membranes, 656
Electromechanical properties, hysteresis measurements, 404
Elongation, high rates, 283
Energy deposition, in polymers by reactor radiation, 605
Epichlorhydrin, 643
Epoxide polymers, thermal degradation, 484
Fatigue cracking, chemical effects, 497
Fiber formation, from polymer melts, orientation phenomena, 111, 361
Fibers, actin, contraction and relaxation, S1
Films, effect of catalytic aging reactions, 32
  properties from bacterial polysaccharide B-1459, S12
Fluoroinated polymers, reaction to ionizing radiation, 456
Flywheel impact test, physical properties of tire cords, 255
Free-radical inhibitor action, in unsaturated polyesters, S25
Friction, of elastomers, related to dry adhesion, high speed measurements, 316
Gas permeability, vinylidene copolymer films, S23
Gels, thermally reversible, 15
Glass temperatures, of amorphous polymers, S43
Glass transition concentration, S24
Heat, of hard rubber reaction, 674
High molecular weight polycationics, S57
High speed tester, nonimpacting, basic design features, 264
High speed testing, progress report, 278
High strain rates, apparatus for studying effect on elevated temperature behavior of materials, 303
Honeycombs, cloth, in compression, static and dynamic strength, 352
Hydrogen ion concentration, retrogradation of starch sols, 571
Hydroquinone, redox polymer, preparation, S13
Hygrophotographic studies, of packaging materials, 561
Hysteresis, electromechanical, 404
Inclusions, theory of, 518
Inhibitor action, free-radical, in unsaturated polyesters, S25

Inhibitor technique, for chemical stress relaxation, S52
Instrumentation, for angular dependence measurements, of light scattering, 667
Intercomparison, of methods for calculating normal stresses, S67
Internal field emission, in carbon black-loaded natural rubber vulcanizates, 651
Ionic selectivity, of hydrolyzed polyethylene terephthalate, S37
Isophthalic polyesters, crosslinked, electrical properties, 575
Isothermal life, from thermogravimetric data, 639
Joint design, bonded joints, 130
primary structures, 122
Jute, shrinkage, 533
swelling, 541
Keratin fibers, 670
Light scattering, 667
Mechanical changes, during sorption of water, by dry keratin fibers in atmospheres near saturation, 670
Melt index, apparent increase during measuring, S19
Metal resinates, in bulk polymerization of MMA, S9
Method, determination of glass temperatures of amorphous polymers, S43
determining effective tensile gage length, S61
determining some solution viscosity parameters, S49
Methyl Methacrylate, bulk polymerization, S9
Modified starches, 659
Molecular structure, diglycidyl ethers, 425
Natural rubber, crosslinking efficiency of dicumyl peroxide, 613
dynamic properties of black-loaded, 57
thermal diffusivity, S28
Natural rubber vulcanizates, extraction of admixed polymers, 64
carbon black-loaded, 651
Nuclear magnetic resonance absorption, temperature dependence in coal, 94
Nylons, adhesion properties, S35
Optical transducer, for detecting resonant frequency and free-end amplitude, of a vibrating reed (low driving force), S66
Orientation, by fiber formation from polymer melts, 111
Ozone, attack on stretched rubber vulcanizates, 449
Packaging materials, permeability to water and moisture, hygrophotographic studies, 561
Paper, impregnated, phenolic- and epoxy-, static and dynamic strengths, 352
Parachute components, behavior at impact velocity, 338
Paraffinic hydrocarbons, radiation-induced crosslinking, S68
Peel testing, 136
(Pentaerythritol-dipentaerythritol)-glutaraldehyde, used in polyspiroacetals, 508
Pentaerythritol-glutaraldehyde, used in polyspiroacetals, 508
Permeability, to water and moisture of packaging materials, 561
Phase changes, coacervates, 393
Phase equilibrium, toluene–ethanol–polystyrene, 399
Phenolic resins, thermosetting, mechanism of dielectric and mechanical β-dispersion, S34
Polyacrylonitrile, with crosslinking of cellulose, S35
Poly[3,3-(bis-chloromethyl)oxacyclobutane], crystal transformation, S52
IR spectra and crystallization, 232
Polyelectrolyte, hydrocolloid, produced from bacterial fermentation, (*erratum*), S17
Polyester, styrene, copolymer, degree of cure, S19
Polyesters, unsaturated, free-radical inhibitor action, S25
Polyethylene, capillary flow, S45
carbon black effect on thermal antioxidants for, 558
effect of molecular structure on orientation, 361
environmental stress cracking, 1
flow curve, S42
radiation effect on stress cracking, 461
thermally degraded, morphology, 480
Polyethylene terephthalate, compression fatigue, 393
hydrolyzed, ionic selectivity, S37
Polyhydrocarbons, activation energy for viscous flow, S29
Polyisoprene *cis*-1,4, S59
Polymer melts, orientation phenomena by fiber formation from, 361
Polymers, linear, synthetic, S9
Poly(methyl methacrylate), thermal conductivity, S32
Poly(methyl vinyl ether-maleic anhydride)-polyvinyl alcohol membranes, 656
Polyolefins, chlorinated and chlorosulfonated, 20
Polypropylene, isotacticity, S56
Polypropylene fibers, isotatic, viscoelastic behavior, 269
Polysaccharide B-1459, (*erratum*), S17
bacterial, properties of films from, S12
Polyspiroacetal resins, preparation and characterization, 503
structures and properties, 508
Polystyrene, effect of molecular structure on orientation 361
three-component system, coacervation, 399
Polytetrafluoroethylene, quenched, S41
Polyvinyl chloride, electret, S61
irradiated, 629
thermal degradation, 98, 103, 489
Polyvinyl nicotinate, S4
Process control, adhesives, 210, 217
Progress report, task group on high speed testing, 278
Propellants, solid, viscoelastic characterization, 328
Radiation, ionizing, reaction of fluorinated polymers, 456
polyethylene, effect on stress cracking, 461
Radiation-induced crosslinking, of polymers and polymerization of paraffinic hydrocarbons, S68
Reactions, of primary amines with epoxides, S63
Reactor radiation, 605
Redox polymer hydroquinone, preparation, S13
Redox systems, metal, acceleration of MMA bulk polymerization, S9
Relaxation, contraction, actin fibers, S1
processes in vulcanized rubber, I. Relation between stress relaxation, creep, recovery, and hysteresis (*corrigendum*), S48
vulcanized rubber, 433, 442
Resin, performance of diglycidyl ethers, 425
Resins, vinylsilicone, crosslinking, 474
Rigidity, changes in polymer curing, 422
Rheological properties, of viscose, 600
Rubber, bonding, 176
natural, properties of carbon black loaded vulcanizates, 368
solvent-resistant, obtained by metallic soaps, 240
stress-strain testing at high rates of elongation, 283
Rubber vulcanizates, antiozonants, 449
"directed scission," S5
relaxation processes, 433, 442
Saturated linear polyesters, 624
Sorption of water, by dry keratin fibers, 670
Specific refractive increment, colligative nature, for statistical copolymers, 529

Spherulitic isotactic polypropylene, 617
Starch sols, hydrogen ion concentration, 571
retrogradation, 571
Statistical copolymers, colligative nature of specific refractive increment, 529
Stress crazing, of amorphous thermoplastics, 585
Stress distribution, determination in adherends and adhesives, 145
Stress relaxation, modified method of reduced variables, 297
molten polymers, S21
Stress relaxation modulus, technique for measuring, S2
Stress-strain, film tensile, digital recording and automatic computation, S27
Stress-strain testing, of rubbers at high rates of elongation. 283
Styrene, polyester, copolymer, degree of cure, S19
Teflon, treatment to promote bondability, 221
Temperature dependence, NMR absorption in coal, 94
Tensile gage length, S61
Tetrahydrofuran, polymerization, 465
Thermal antioxidants, for polyethylene, 558
Thermal conductivity, of poly(methyl methacrylate), S32
Thermal cycles, rapid, apparatus for studying effect on elevated temperature behavior of materials, 303
Thermal degradation, epoxide polymers, 484
morphology of polyethylene, 480
polyvinyl chloride, 98, 103, 489
Thermal diffusivity, of natural rubber, S28
Thermal stability, polymer model compounds. 47
Thermogravimetric data, kinetic analysis (*erratum*), 120
Thermomechanical properties, states of polymers, 70
Thermoplastics, amorphous, stress crazing, 585
impact behavior characterization, 332, (*erratum*), S48
Time effects, in capillary flow, of polyethylene, S45
Tire cord, compression fatigue and damping phenomena, 373
test for measuring physical properties, 255
Transient test techniques, viscoelastic characterization of solid propellants, 328
Urethane-type synthetic rubbers, S44
Vinylidene chloride, copolymer films, preparation and gas permeability, S23
Vinylsilicone resins, crosslinking by dicumyl peroxide, 474
Viscoelastic materials, adhesion, 548
Viscoelastic materials, theory of inclusions, 518
Viscoelasticity, linear, limit in high polymers, 83
linear, technique for testing, S2
Viscose, rheological properties, 600
Viscosité intrinsèque, de solutions de polymères, par une simple détermination de la viscosité, 683
Viscosity parameters, S49
natural rubber, properties of carbon black-loaded, 64. 368
natural rubber, extraction of admixed polymers, 64
rubber, antiozonants, 449
rubber, "directed scission," S5
rubber, relaxation processes, 433, 442
Vulcanized rubbers, fatigue cracking of, 497
Water vapor transmission, through porous films, S64
X-ray diffraction studies, clays, S14

Journal of APPLIED POLYMER SCIENCE

VOLUME VI

JANUARY–FEBRUARY 1962

Issue Number 19

EDITORIAL BOARD: L. BATEMAN • J. DILLON • N. G. GAYLORD • J. LE BRAS • H. MARK • M. MORTON • F. PATAT •

ADVISORY BOARD

R. F. BOYER
H. H. CUDD
R. DEAN
J. D'IANNI
A. K. DOOLITTLE
T. W. EVANS
R. H. EWART
N. FRAGEN
G. HOOPER
H. W. MOHRMAN
J. B. NICHOLS
W. E. ROSEVEARE
F. K. SCHOENFELD
W. L. SEMON
W. R. SMITH
W. SPARKS
J. C. SWALLOW
G. H. SWART
P. WEISS
H. L. WILLIAMS
R. W. WORK

CONTENTS

P. Hittmair and Robert Ullman: Environmental Stress Cracking of Polyethylene 1

Giffin D. Jones: Thermally Reversible Gels from Carbonyl-Containing Water-Soluble Synthetic Polymers 15

P. J. Canterino and G. R. Kahle: Chlorinated and Chlorosulfonated Polyolefins 20

Bernard F. Cinadr and Edward G. Bobalek: Effect of Catalytic Aging Reactions on Mechanical and Solubility Properties of Films Derived from Neopentyl Adipate Polyesters and Toluene Diisocyanate 32

Desmond Sheehan, Alan P. Bentz, and John C. Petropoulos: The Relative Thermal Stability of Polymer Model Compounds 47

A. R. Payne: The Dynamic Properties of Carbon Black-Loaded Natural Rubber Vulcanizates. Part I 57

W. Cooper and R. K. Smith: The Extraction of Admixed Polymers from Natural Rubber Vulcanizates 64

M. Chatain and P. Dubois: The Different States of Polymers Based on Their Thermomechanical Properties 70

Bryce Maxwell and Claude Guimon: Dynamic Mechanical Spectra and Limit of Linear Viscoelasticity of High Polymers 83

Y. Sanada, H. Honda, and A. Nishioka: Temperature Dependence of Nuclear Magnetic Resonance Absorption in Coal 94

Alain Guyot and Jean-Paul Benevise: Sur la Dégradation Thermique du Chlorure de Polyvinyle. I. Méthodes Expérimentales d'Etude Cinétique 98

continued inside

Published by
INTERSCIENCE PUBLISHERS
a division of John Wiley & Sons, Inc.